

LEGEND

- INCANDESCENT CEILING MOUNTED LIGHT FIXTURE - OWNER SUPPLIED
- MULTI MOUNTED LIGHTING FIXTURE - OWNER SUPPLIED
- MAGNETIC CONTACT
- FAN AND LIGHT - OWNER SUPPLIED
- SINGLE POLE LIGHT SWITCH 120V/277V 20A-EAGLE DEGRADATOR
MODEL No. 8629V 6/4" HORY COVER PLATE OR EQUAL
TWO WAY LIGHT SWITCH 120V 20A - EAGLE DEGRADATOR
MODEL No. 8629V 6/4" HORY COVER PLATE OR EQUAL
FAN OUTLET/SPEED CONTROLLER - OWNER SUPPLIED
COOKER SWITCH - OWNER SUPPLIED
GENERAL PURPOSE CONVENIENCE OUTLET-
15A 115V DUPLEX WITH 1" GROUND NEAR 5-15V EAGLE BRUSH
OR EQUAL
WEATHERPROOF OUTLET - EAGLE 675V
GROUND FAULT - EAGLE 675V OR EQUAL
SEPARATE CIRCUIT OUTLET - AS ABOVE
MACHINE UNIT
REFRIGERATOR
SPECIAL PURPOSE SWITCHED OUTLET - 250V 3-POLE
WASHER DRYER - 125 AMP/30 A-4-POLE EAGLE 125A RECEPTACLE AND
W/ 4P LOCK 5015 W/IT 240V 32A ILLUMINATED DRYER SWITCH
COOKER - 125/250V 20A 4-POLE EAGLE 1257 RECEPTACLE AND
W/ 4P LOCK 5015 W/IT 240V 45A ILLUMINATED COOKER SWITCH
MULTI MOUNTED JUNCTION BOX
CABLE T.V. OUTLET - EAGLE 1172 OR EQUAL
I-01V
I-01T
2" x 4" 1/8" VERTICALLY MOUNTED
TELEPHONE OUTLET - EAGLE 780 3531 OR EQUAL
ELECTRICAL PANEL
CONDUIT RUN IN CEILING OR WALL
CONDUIT RUN IN FLOOR
-
- GROUND FLOOR LIGHTING LAYOUT
-
- GROUND FLOOR POWER LAYOUT
-
- FAN CONTROL WIRING SCHEMATIC
(NOTE: CEILING FANS & SPEED CONTROL SWITCHES TO BE OWNER SUPPLIED)
- NOTES
- 1) ALL ELECTRICAL WORK SHALL BE DONE ACCORDING TO LOCAL CODES
 - 2) ALL OUTLET LOCATIONS ARE MEASURED TO CENTER LINE OF BOX
 - 3) THE HEIGHT OF ALL OUTLETS TO BE 16" AFF UNLESS OTHERWISE NOTED
 - 4) SWITCH PLATES, OUTLET COVERS TO BE WHITE
 - 5) UNLESS OTHERWISE NOTED, ALL OPEN BOXES TO HAVE BLANK PLATES
 - 6) ELECTRICAL CONTRACTOR SHALL LABEL ALL BREAKER PANELS AND MARK UP A SET OF ARCHITECTURAL PLANS INDICATING CIRCUITS AS INSTALLED
 - 7) PROVIDE ONE WITH A COPY OF THE APPROVED ELECTRICAL INSPECTION
 - 8) CABLE SIZES
LIGHTING.....15mm²
CABLE/R.S.....25mm²
WASHER/DRYER.....40mm²
COOKER.....10mm²
PUMP.....15mm²
SOLAR WATER HEATER.....25mm²
A/C CONDENSING UNITS.....40mm²
FAN COIL UNITS.....15mm²
- | REVISION | DATE | DESCRIPTION | BY | APP'D | | | |
|--|--------|--|-----------|-------|--|--|--|
| OBM | | | | | | | |
| OBM Limited
30, Box 308
Mullumbidgee
Vic 3601
Australia
Tel: 03 5462 1017
Fax: 03 5462 1017
Email: info@obm.com.au
Web: www.obm.com.au | | Approved by:
OBM Limited
30, Box 308
Mullumbidgee
Vic 3601
Australia
Tel: 03 5462 1017
Fax: 03 5462 1017
Email: info@obm.com.au
Web: www.obm.com.au | | | | | |
| CABLE BAY PROPERTY DEVELOPMENT | | | | | | | |
| EDC CONSULTANTS LTD | | | | | | | |
| 42, Laid Street, Woodstock, VIC 3, Hobart, W. Tassie (0616) 828-9001 Fax: (0616) 828-7775 | | | | | | | |
| ELECTRICAL | | | | | | | |
| HILLSIDE - GROUND FLOOR LIGHTING AND POWER LAYOUT | | | | | | | |
| DESIGNED BY | EDC CL | PROJECT NO. | 05-030 | | | | |
| DRAWN BY | AS/WH | SCALE | 1/4" = 1' | | | | |
| CHECKED BY | AS/WH | DATE | 20/01/06 | | | | |
| E-17 | | | | | | | |
- THESE DRAWINGS ARE INSTRUMENTS OF SERVICE AND SHALL REMAIN THE PROPERTY OF EDC CONSULTANTS LIMITED. WHETHER THE PROJECT FOR WHICH THEY ARE PREPARED IS EXECUTED OR NOT, THESE DRAWINGS SHALL NOT BE USED IN PART OR IN WHOLE FOR ANY OTHER PROJECT OR AS AN EXTENSION TO THIS PROJECT WITHOUT WRITTEN AUTHORIZATION BY AND APPROPRIATE COMPENSATION TO EDC CONSULTANTS LIMITED.
- DRAWING COPYRIGHT NOTICE